

PHP htmlspecialchars() Function

Topics : [PHP Functions](#)

Written on [April 22, 2021](#)

PHP htmlspecialchars() Function converts some predefined characters to HTML entities.

A predefined characters are given as below.

1. & (ampersand) will be converted to &
2. " (double quote) will be converted to "
3. ' (single quote) will be converted to '
4. < (less than) will be converted to <
5. > (greater than) will be converted to >

Syntax :

htmlspecialchars(string,flags,character-set,double_encode);

Parameter,

Parameter	Description
<i>string</i>	Required. It is input string.

<i>flags</i>	<p>Optional. It specifies how to handle quotes, invalid encoding and the used document type. The default is ENT_COMPAT ENT_HTML401.</p> <p>Flags for quotes are as below,</p> <ol style="list-style-type: none"> 1. ENT_COMPAT - Encodes only double quotes 2. ENT_QUOTES - Encodes double and single quotes 3. ENT_NOQUOTES - Does not encode any quotes <p>Flags for invalid encoding are as below,</p> <ol style="list-style-type: none"> 1. ENT_IGNORE - It ignores invalid encoding 2. ENT_SUBSTITUTE - It replaces invalid code unit sequences with a Unicode Replacement Character U+FFFD (UTF-8) or &#xFFFD; 3. ENT_DISALLOWED - It replaces code points that are invalid in the specified doctype with a Unicode Replacement Character U+FFFD (UTF-8) or &#xFFFD; <p>Flags for used doctype as below,</p> <ol style="list-style-type: none"> 1. ENT_HTML401 - Default. It handles code as HTML 4.01 2. ENT_HTML5 - It handles code as HTML 5 3. ENT_XML1 - It handles code as XML 1 4. ENT_XHTML - It handles code as XHTML
<i>character-set</i>	<p>Optional. It specifies which character-set to use for string.</p> <p>Allowed character-set are as below.</p> <ol style="list-style-type: none"> 1. UTF-8 2. ISO-8859-1 3. ISO-8859-15 4. GB2312 5. cp1251 6. cp1252
<i>double_encode</i>	<p>Optional. A boolean value that specifies whether to encode existing html entities or not.</p> <ol style="list-style-type: none"> 1. TRUE - Default. It Will convert everything. 2. FALSE - It Will not encode existing html entities.

Let's see below example to understand php htmlspecialchars() Function in details.

HTML Output for below example in view source as below,

The browser output of the below example as below.

Converts ampersand to HTML entities

Learn PHP & HTML

Converts double quote to HTML entities

Online tutorial is available for "php"

Converts single quote to HTML entities

Online tutorial is available for 'php'

Converts less than and greater than to HTML entities

Learn online tutorials

Example :

```
<br><b>The browser output of the above code as below.</b>
<?php
echo "<br><br><b>Converts ampersand to HTML entities </b>";
$str = "Learn PHP & HTML";
echo "<br>".htmlentities($str);
echo "<br><br><b>Converts double quote to HTML entities </b>";
$str = 'Online tutorial is available for "php"';
echo "<br>".htmlentities($str);
echo "<br><br><b>Converts single quote to HTML entities </b>";
$str = "Online tutorial is available for 'php'";
echo "<br>".htmlentities($str);
echo "<br><br><b>Converts less than and greater than to HTML entities </b>";
$str = "<a href='https://www.aryatechno.com/blog.html'>Learn online tutorials</a>";
echo "<br>".htmlentities($str);

?>
```