

## PHP MCQs - 7

**Topics**: PHP

Written on March 18, 2024

- 61. What is the purpose of the session\_destroy() function in PHP?
  - ∘ A) Starts a new session
  - B) Destroys all session variables
  - C) Removes a specific session variable
  - D) Checks if a session variable exists

Answer: B) Destroys all session variables

62. What is the output of the following code snippet?

echo "Hello" . 2 + 3 . "World"

- ∘ A) Hello5World
- B) Hello23World
- C) 5Hello3World
- o D) Error

Answer: B) Hello23World

- 63. Which of the following PHP functions is used to retrieve information about a file?
  - A) fileinfo()
  - B) fileinfo stat()
  - C) file\_info()
  - o D) file stat()

**Answer: B) fileinfo\_stat()** 

- 64. What is the purpose of the array push() function in PHP?
  - A) Removes the last element from an array
  - B) Adds an element to the beginning of an array
  - C) Removes the first element from an array
  - o D) Adds one or more elements to the end of an array

## Answer: D) Adds one or more elements to the end of an array

- 65. What is the correct way to define a constant in PHP?
  - ∘ A) define constant()
  - ∘ B) constant define()
  - o C) set constant()
  - o D) define()

## Answer: D) define()

- 66. Which of the following is used to execute a block of code repeatedly as long as a condition is true in PHP?
  - A) for loop
  - ∘ B) foreach loop
  - ∘ C) while loop
  - o D) do-while loop

Answer: C) while loop

- 67. What does the is\_numeric() function do in PHP?
  - A) Checks if a variable is a number or numeric string
  - B) Converts a string to a number
  - o C) Checks if a variable is an integer
  - D) Checks if a variable is empty

Answer: A) Checks if a variable is a number or numeric string

68. What is the output of the following code snippet?

```
$x = "5";
$y = "10";
echo $x + $y;
```

- o A) 15
- o B) 510
- o C) 5
- o D) Error

Answer: A) 15

- 69. Which of the following PHP functions is used to count the number of elements in an array?
  - A) array length()
  - B) count()

- C) array count()
- D) sizeof()

## **Answer: B) count()**

- 70. What does the array\_reverse() function do in PHP?
  - $\circ$  A) Sorts an array in ascending order
  - B) Sorts an array in descending order
  - $\circ$  C) Reverses the order of elements in an array
  - D) Removes duplicate values from an array

Answer: C) Reverses the order of elements in an array

© Copyright Aryatechno. All Rights Reserved. Written tutorials and materials by Aryatechno