

Node JS MCQs - 8

Topics : <u>Node js</u> Written on <u>March 18, 2024</u>

- 71. Which of the following is NOT a built-in middleware function in Express.js?
 - A) express.json()
 - B) express.static()
 - C) express.urlencoded()
 - D) express.validate()

Answer: D) express.validate()

- 72. In Express.js, what is the purpose of the res.cookie() method?
 - A) To send an HTTP response with JSON data
 - B) To set cookies in the client's browser
 - $\circ\,$ C) To send an HTTP response with HTML content
 - $\circ\,$ D) To redirect the client to a new URL

Answer: B) To set cookies in the client's browser

- 73. Which of the following is a common template engine used with Express.js for server-side rendering?
 - A) React
 - B) Angular
 - C) Vue.js
 - D) EJS

Answer: D) EJS

- 74. What does REST stand for in the context of web services?
 - A) Real-time Service Technology
 - $\circ\,$ B) Remote Execution Service Toolkit
 - $\circ\,$ C) Representational State Transfer
 - $\circ\,$ D) Responsive Service Transformation

Answer: C) Representational State Transfer

75. In Express.js, what does the req.originalUrl property return?

- $\circ\,$ A) The original URL requested by the client
- B) The current URL of the request
- C) The base URL of the application
- \circ D) The query string of the URL

Answer: A) The original URL requested by the client

- 76. Which method is used to set up route-specific middleware in Express.js?
 - A) app.use()
 - B) app.route()
 - C) router.use()
 - D) router.route()

Answer: C) router.use()

- 77. What is the purpose of the express.Router() function in Express.js?
 - $\circ\,$ A) To define route-specific middleware
 - $\circ\,$ B) To create an instance of the Express application
 - $\circ\,$ C) To define route handlers
 - $\circ\,$ D) To initialize the Express.js server

Answer: A) To define route-specific middleware

- 78. In Express.js, how can you access route parameters?
 - A) Using req.query
 - B) Using req.body
 - \circ C) Using req.params
 - D) Using req.headers

Answer: C) Using req.params

79. Which of the following middleware is commonly used for session management in Express.js?

- A) express.json()
- B) express.static()
- \circ C) express-session
- D) express.urlencoded()

Answer: C) express-session

- 80. What is the purpose of the req.baseUrl property in Express.js?
 - $\circ\,$ A) To access request query parameters
 - $\circ\,$ B) To access the base URL of the application

- $\circ\,$ C) To access URL route parameters
- D) To access request body parameters

Answer: B) To access the base URL of the application

© Copyright Aryatechno. All Rights Reserved. Written tutorials and materials by <u>Aryatechno</u>