

# Laravel MCQs - 7

Topics : [Laravel](#)

Written on [March 19, 2024](#)

71. What is the purpose of Laravel's `php artisan make:observer` command?

- A) To create a new database observer
- B) To create a new controller observer
- C) To create a new event observer
- D) To create a new middleware observer

Answer: C) To create a new event observer

72. Which of the following is NOT a valid method to define a route name in Laravel?

- A) `->name('profile')`
- B) `->routeName('profile')`
- C) `->as('profile')`
- D) `->named('profile')`

Answer: B) `->routeName('profile')`

73. In Laravel, what is the purpose of the `app/Exceptions/Handler.php` file?

- A) To handle HTTP requests
- B) To handle database migrations
- C) To handle application exceptions
- D) To handle routing logic

Answer: C) To handle application exceptions

74. What is the purpose of Laravel's `php artisan make:resource` command?

- A) To create a new migration resource
- B) To create a new controller resource
- C) To create a new model resource
- D) To create a new API resource

Answer: D) To create a new API resource

75. Which of the following statements about Laravel's authentication scaffolding is true?

- A) Laravel does not provide authentication scaffolding
- B) Authentication scaffolding is used to generate database migrations
- C) Authentication scaffolding is used to generate boilerplate code for user authentication
- D) Authentication scaffolding is used for database seeding

Answer: C) Authentication scaffolding is used to generate boilerplate code for user authentication

76. What is the purpose of Laravel's `php artisan down` command?

- A) To stop the Laravel scheduler
- B) To take the application offline for maintenance
- C) To remove all routes temporarily
- D) To clear the application cache

Answer: B) To take the application offline for maintenance

77. Which of the following statements is true about Laravel's middleware?

- A) Middleware can only be applied globally to all routes
- B) Middleware is executed after route handling
- C) Middleware can modify HTTP requests before they reach the route handler
- D) Middleware is only applicable to HTTP POST requests

Answer: C) Middleware can modify HTTP requests before they reach the route handler

78. What is the purpose of Laravel's `php artisan make:seed` command?

- A) To create a new migration seed

- B) To create a new controller seed
- C) To create a new database seeder
- D) To create a new model seed

Answer: C) To create a new database seeder

79. Which of the following is NOT a valid type of middleware in Laravel?

- A) Global middleware
- B) Route middleware
- C) Group middleware
- D) Model middleware

Answer: D) Model middleware

80. What is the purpose of Laravel's `php artisan make:event` command?

- A) To create a new model event
- B) To create a new controller event
- C) To create a new database event
- D) To create a new event class

Answer: D) To create a new event class