

# AngularJS MCQs - 3

**Topics**: AngularJS

Written on April 22, 2024

## 21. What does ng-cloak directive do in AngularJS?

- A) It hides an element until Angular IS has finished its compilation.
- $\circ\,$  B) It binds an HTML element to an AngularJS expression.
- C) It initializes the AngularJS application.
- D) It defines a new controller in AngularJS.

**Answer:** A) It hides an element until AngularJS has finished its compilation.

# 22. Which AngularJS directive is used to loop through a collection and create a new array?

- o A) ng-for
- B) ng-repeat
- ∘ C) ng-loop
- o D) ng-iterate

**Answer:** B) ng-repeat

### 23. What is the purpose of ng-init directive in AngularJS?

- A) It initializes the AngularJS application.
- B) It initializes the scope variables.
- C) It defines a new controller in AngularJS.
- D) It defines a new module in AngularJS.

**Answer:** B) It initializes the scope variables.

#### 24. Which built-in filter is used for formatting dates in AngularJS?

- o A) date
- B) formatDate
- C) dateFormat
- ∘ D) formatDate

Answer: A) date

#### 25. What is the purpose of ng-options directive in AngularJS?

- A) It binds a select element to a model.
- B) It initializes options for a select element.
- C) It initializes the AngularJS application.
- D) It defines a new controller in AngularJS.

**Answer:** A) It binds a select element to a model.

#### 26. What does ng-change directive do in AngularJS?

- A) It binds an event handler to an input element that fires when the value of the input changes.
- B) It initializes the AngularJS application.
- C) It hides an element until AngularJS has finished its compilation.
- D) It defines a new controller in AngularJS.

**Answer:** A) It binds an event handler to an input element that fires when the value of the input changes.

# 27. Which AngularJS service is used for localization and internationalization of applications?

- A) \$localize
- B) \$translate
- ∘ C) \$i18n
- o D) \$locale

Answer: B) \$translate

### 28. What is the purpose of ng-style directive in AngularJS?

- $\circ\,$  A) It binds the style of an element to an expression.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularIS.
- o D) It hides an element until AngularJS has finished its compilation.

**Answer:** A) It binds the style of an element to an expression.

#### 29. Which AngularJS service is used for managing browser history?

- A) \$location
- B) \$browser
- ∘ C) \$route
- o D) \$history

**Answer:** A) \$location

#### 30. What is the purpose of ng-readonly directive in Angular S?

- A) It makes an element non-editable.
- $\circ\,$  B) It binds the readonly attribute of an element to an expression.
- C) It hides an element until AngularJS has finished its compilation.
- D) It defines a new controller in AngularJS.

**Answer:** B) It binds the readonly attribute of an element to an expression.

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by <u>Aryatechno</u>

