

AngularJS MCQs - 4

Topics: Angular S

Written on April 22, 2024

31. What does ng-class directive do in AngularJS?

- A) It binds CSS classes to HTML elements based on expression evaluation.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It hides an element until AngularJS has finished its compilation.

Answer: A) It binds CSS classes to HTML elements based on expression evaluation.

32. Which AngularJS service is used for browser cookies manipulation?

- A) \$cookies
- ∘ B) \$cookieStore
- ∘ C) \$browser
- o D) \$cookie

Answer: A) \$cookies

33. What is the purpose of ng-hide directive in AngularJS?

- A) It hides an HTML element.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It binds CSS classes to HTML elements based on expression evaluation.

Answer: A) It hides an HTML element.

34. Which AngularJS service is used for broadcasting events to child scopes?

- A) \$broadcast
- ∘ B) \$emit
- ∘ C) \$on
- o D) \$watch

Answer: A) \$broadcast

35. What is the purpose of ng-checked directive in AngularJS?

- o A) It binds the checked state of an input element to an expression.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It hides an element until AngularJS has finished its compilation.

Answer: A) It binds the checked state of an input element to an expression.

36. What does ng-disabled directive do in AngularJS?

- A) It disables an HTML element.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It binds the disabled state of an input element to an expression.

Answer: D) It binds the disabled state of an input element to an expression.

37. Which AngularJS service is used for making AJAX requests and handling responses?

- A) \$http
- ∘ B) \$ajax
- ∘ C) \$request
- ∘ D) \$fetch

Answer: A) \$http

38. What is the purpose of ng-options directive in AngularJS?

- A) It initializes options for a select element.
- B) It binds a select element to a model.
- C) It initializes the Angular S application.
- D) It defines a new controller in AngularJS.

Answer: A) It initializes options for a select element.

39. Which AngularJS directive is used to dynamically load templates?

- A) ng-template
- o B) ng-include
- o C) ng-view
- o D) ng-switch

Answer: B) ng-include

40. What is the purpose of ng-selected directive in Angular S?

- A) It binds the selected state of an option element to an expression.
- B) It initializes the AngularJS application.

- $\circ\,$ C) It defines a new controller in AngularJS.
- D) It hides an element until AngularJS has finished its compilation.

Answer: A) It binds the selected state of an option element to an expression.

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by <u>Aryatechno</u>

