

AngularJS MCQs - 6

Topics: Angular S

Written on April 22, 2024

- 51. Which AngularJS directive is used to dynamically change the content of HTML elements based on an expression?
 - A) ng-show
 - ∘ B) ng-bind
 - ∘ C) ng-if
 - o D) ng-switch

Answer: D) ng-switch

- 52. What does ng-controller directive do in AngularJS?
 - A) It defines a new controller in AngularJS.
 - B) It initializes the AngularJS application.
 - C) It binds a controller to a specific HTML element.
 - D) It hides an element until AngularJS has finished its compilation.

Answer: C) It binds a controller to a specific HTML element.

- 53. Which AngularJS service is used for creating custom filters in AngularJS applications?
 - ∘ A) \$filter
 - B) \$customFilter
 - C) \$transform
 - ∘ D) \$modifyFilter

Answer: A) \$filter

- 54. What is the purpose of ng-model directive in Angular S?
 - A) It binds the application data to the HTML view.
 - B) It initializes the AngularJS application.
 - C) It defines a new controller in AngularJS.
 - D) It initializes the scope variables.

Answer: A) It binds the application data to the HTML view.

55. Which AngularJS service is used for providing animations in AngularJS applications?

- ∘ A) \$animate
- ∘ B) \$animation
- ∘ C) \$angularAnimate
- ∘ D) \$animationService

Answer: A) \$animate

56. What does ng-view directive do in AngularJS?

- A) It defines a new controller in AngularJS.
- B) It initializes the AngularJS application.
- C) It hides an element until AngularJS has finished its compilation.
- D) It specifies where to render templates for different routes.

Answer: D) It specifies where to render templates for different routes.

57. Which AngularJS service is used for intercepting HTTP requests and responses?

- ∘ A) \$httpInterceptor
- B) \$httpInterceptorProvider
- ∘ C) \$http
- o D) \$httpProvider

Answer: A) \$httpInterceptor

58. What is the purpose of ng-transclude directive in AngularJS?

- A) It initializes the AngularJS application.
- B) It defines a new controller in AngularJS.
- C) It specifies where to insert content from a transcluded directive.
- D) It hides an element until AngularJS has finished its compilation.

Answer: C) It specifies where to insert content from a transcluded directive.

59. Which AngularJS service is used for mocking HTTP requests in unit tests?

- A) \$httpBackend
- ∘ B) \$httpMock
- o C) \$httpFake
- ∘ D) \$httpTest

Answer: A) \$httpBackend

60. What is the purpose of ng-non-bindable directive in Angular S?

- A) It prevents AngularJS from compiling the contents of an element.
- B) It defines a new controller in AngularJS.

- $\circ\,$ C) It initializes the AngularJS application.
- D) It hides an element until AngularJS has finished its compilation.

Answer: A) It prevents AngularJS from compiling the contents of an element.

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by <u>Aryatechno</u>

