

MYSQL MCQs - 10

Topics: MYSQL

Written on April 22, 2024

91. What is the purpose of the AVG() function in MySQL?

- A) To return the maximum value of a column
- o B) To return the minimum value of a column
- o C) To return the average value of a column
- D) To return the total value of a column

Answer: C) To return the average value of a column

92. Which SQL command is used to create a foreign key constraint in MySQL?

- ∘ A) ADD FOREIGN KEY
- B) CREATE FOREIGN KEY
- ∘ C) FOREIGN KEY
- ∘ D) SET FOREIGN KEY

Answer: A) ADD FOREIGN KEY

93. What is the purpose of the SUBSTRING() function in MySQL?

- A) To extract a part of a string
- B) To return the length of a string
- C) To concatenate two or more strings
- D) To convert a string to uppercase

Answer: A) To extract a part of a string

94. Which SQL function is used to return the current month in MySQL?

- A) MONTH()
- ∘ B) CURRENT MONTH()
- ∘ C) GETMONTH()
- ∘ D) CURMONTH()

Answer: A) MONTH()

95. What is the purpose of the UPPER() function in MySQL?

- A) To return the maximum value of a column
- B) To return the minimum value of a column
- ∘ C) To convert a string to uppercase
- ∘ D) To convert a string to lowercase

Answer: C) To convert a string to uppercase

96. Which SQL command is used to create a table in MySQL?

- o A) ADD TABLE
- ∘ B) CREATE TABLE
- ∘ C) MAKE TABLE
- D) SET TABLE

Answer: B) CREATE TABLE

97. What is the purpose of the MIN() function in MySQL?

- A) To return the maximum value of a column
- ∘ B) To return the minimum value of a column
- o C) To return the average value of a column
- D) To return the total value of a column

Answer: B) To return the minimum value of a column

98. Which SQL command is used to delete a column from a table in MySQL?

- A) DELETE COLUMN
- ∘ B) REMOVE COLUMN
- ∘ C) DROP COLUMN
- ∘ D) ERASE COLUMN

Answer: C) DROP COLUMN

99. What is the purpose of the CURRENT TIMESTAMP() function in MySQL?

- A) To return the current date
- B) To return the current time
- C) To return the current date and time
- D) To return the difference between two dates

Answer: C) To return the current date and time

100. Which SQL function is used to return the number of rows in a table in MySQL?

- A) ROW_COUNT() - B) COUNT_ROWS() - C) NUM_ROWS() - D) COUNT()

Answer: D) COUNT()

